

SAFETY DATA SHEET



SECTION 1: IDENTIFICATION

COMPANY NAME:	AMERICAN INDUSTRIES, INC.	PRODUCT NAME:	DRENLIN III
ADDRESS LINE 1:	4300 Kahn Drive, Box 1405	PRODUCT CODE:	2356
ADDRESS LINE 2:	Lumberton, NC 28359-1405 USA	PRODUCT USE:	Ready to use degreaser
TELEPHONE NUMBERS:	800-753-5153 (or) 910-738-7224	SDS FILE ID:	2356.08
EMERGENCY PHONE:	CHEMTREC 1-800-424-9300	SDS DATE:	2016-02-23

REPLACES MSDS VERSION DATED: 2015-12-16 *and all prior revisions*

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification:
Health Health, skin corrosion/irritation 1 B

Label elements



Signal word DANGER
Hazard statements: H314 Causes severe skin burns and eye damage.

Precautionary statements:

P305 IF IN EYES: Flush eyes with plenty of water. If redness persists, seek medical attention.
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302 + P352 IF ON SKIN: Wash with soap and water.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical name</u>	<u>CAS number</u>	<u>%</u>
Trisodium Phosphate Dodecahydrate	10101-89-0	1-3
Butyl cellulosolve	111-76-2	1-5

SECTION 4: FIRST AID MEASURES

Inhalation	If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.
Skin contact	Promptly flush skin with water until all chemical is removed.
Eye contact	Flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate irrigation. Contact a physician if redness persists
Ingestion	Give 1-2 glasses of water. Do not induce vomiting. Get medical advice. Do not give anything by mouth to an unconscious or convulsing person.

SECTION 5: FIRE-FIGHTING MEASURES

Flash Point	>200°F (>93°C)
Flash Point Method	N/A
Extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	Not applicable
Hazardous combustion products	Not applicable
Special exposure hazards	None
Special protective equipment	Full protective clothing and approved self-contained breathing apparatus required for firefighting personnel

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautionary Measures: Use appropriate protective equipment. (See Section 8.) Do not get into eyes, skin, or Clothing. Wear respiratory protection. Avoid breathing vapors. Ensure adequate ventilation.

Environmental Precautionary Measures: Do not empty into drains.

Methods and Materials for Containment and Cleanup: Soak up residue with an absorbent such as clay or sand. Place in a non-leaking Container for proper disposal according to Federal, State, and Local regulations. Do not discharge into waterways or sewage systems.

SECTION 7: HANDLING AND STORAGE

Handling	Use in a well-ventilated area. Do not breathe vapors. Do not get on skin, eyes, or clothing.
Storage	Keep from freezing. Store between 50 and 80 degrees F. Keep container closed and in a well-ventilated area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls	Use in well ventilated area.
----------------------	------------------------------

Personal Protective Equipment: Safety Glasses, Gloves

Trisodium Phosphate Dodecahydrate	10101-89-0	1-3%
Components with workplace control parameters		
STEL	5mg/m3	USA Workplace Environmental Exposure Levels (WEEL)
Butyl cellusolve	111-76-2	1-5%
Components with workplace control parameters		
TWA	20 ppm	USA ACGIH Threshold Limit Values (TLV)
Eye & upper respiratory tract irritation	Confirmed animal carcinogen with unknown relevance to humans	
TWA	5 ppm	USA NIOSH Recommended Exposure Limits- Potential for dermal absorption
	24 mg/m3	
TWA	50 ppm	USA Occupational exposure limits (OSHA)-Table Z-1 Limits for air contaminants
	240 mg/m3	
Skin designation	The value in mg/m3 is approximate	
TWA	25 ppm	USA OSHA-Table Z-1 limits for air contaminants-1910.1000
	120 mg/m3	

Skin notation

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Color	Blue liquid
Physical State	Liquid
Odor	Mild
Flash point	>200°F (>93°C)
Flammability	Not available
Partition Coefficient	Not available
Boiling point	212°F (100°C)
Melting point/freezing point	Not available
Auto-ignition temperature	Not available
Vapor pressure	Not available
Vapor density (Air-1)	Not available
Specific gravity/Density	1.05
Viscosity	Not available
Water solubility	Soluble in water
pH	>12
Evaporation rate (Water=1)	1

SECTION 10: STABILITY AND REACTIVITY

Chemical stability	Stable
Conditions to avoid	Open flame and heat; freezing
Materials to avoid	Strong oxidizing agents
Hazardous decomposition	Carbon dioxide, carbon monoxide
Hazardous polymerization	Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

Trisodium Phosphate Dodecahydrate	10101-89-0	1-3%
Information on toxicological effects		
Acute toxicity		
LD50	Oral-rat	7,400 mg/kg
Inhalation	No data available	
Dermal	No data available	
Skin corrosion/irritation	No data available	
Serious eye damage/eye irritation	No data available	
Respiratory or skin sensitization	No data available	
Germ cell mutagenicity	No data available	
Carcinogenicity	No component of this product presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
IARC	No component of this product presents at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.	
ACGIH	No component of this product presents at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.	
NTP	No component of this product presents at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.	
OSHA	No data available.	
Reproductive toxicity	No data available.	
Specific target organ toxicity	Single Exposure-No data available	Repeated Exposure-No data available
Aspiration hazard	No data available	
Additional information	RTECS: TC9575000	
Cough, Shortness of breath, Headache, Nausea, Vomiting		
Butyl cellulolve	111-76-2	1-5%
Information on toxicological effects		
Acute toxicity		
LD50	Oral-rat	470 mg/kg
LC50	Inhalation-rat	4 h-450 ppm Remarks: Behavioral: Ataxia. Nutritional and Gross Metabolic: Weight loss or decreased weight gain.
LD50	Dermal-rabbit	220 mg/kg
LD50	Intraperitoneal-rat	220 mg/kg
LD50	Intravenous-rat	307 mg/kg
Skin corrosion/irritation	Skin-rabbit	Result-Open irritation test
Serious eye damage/eye	Eyes-rabbit	Result-Moderate eye irritation-24 h

irritation

Respiratory or skin sensitization No data available

Germ cell mutagenicity No data available

Carcinogenicity

IARC 3-Group 3 Not classifiable as to its carcinogenicity to humans (2-Butoxyethanol)

NTP No component of this product presents at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA No component of this product presents at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity No data available

Overexposure may cause reproductive disorder(s) based on tests with laboratory animals.

Specific target organ toxicity Single Exposure-No data available Repeated Exposure-No data available

Aspiration hazard No data available

Additional information RTECS: KJ8575000

Human exposure above 200 ppm can be expected to cause narcosis, damage to the kidney and liver and present an abnormal blood picture showing erythropenia, reticulocytosis, granulocytosis, leukocytosis, and would be likely to cause fragility of erythrocytes and hematuria. Swallowing of 2-butoxyethanol results in a sour taste that turns to a burning sensation and is followed by numbness of the tongue which indicates paralysis of the sensory nerve endings., Central nervous system depression, Headache, narcosis

Stomach Irregularities Based on human evidence

SECTION 12: ECOLOGICAL INFORMATION

Trisodium phosphate dodecahydrate	10101-89-0	1-3%
Information on ecological effects		
Toxicity to fish LCO	Leuciscus idus (Golden orfe)	2,400 mg/l-48 h
Persistence and degradability	No data available	
Bio-accumulative potential	No data available	
Mobility in soil	No data available	

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not Conducted.

Other adverse effects No data available

Butyl cellusolve	111-76-2	1-5%
------------------	----------	------

Information on ecological effects

Toxicity to fish LC50	Other fish	220 mg/l-96 h
Toxicity to daphnia and EC50	Daphnia magna (Water flea)	1,815 mg/l-24 h
Persistence and degradability	No data available	
Ratio BOD/ThBOD	88%	
Bio-accumulative potential	No data available	
Mobility in soil	No data available	

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not Conducted.

Other adverse effects No data available

SECTION 13: DISPOSAL CONSIDERATIONS

Empty Containers: If empty container retains product residue, all label precautions must be observed. Dispose of unused product prior to disposing of empty container.

Disposal Considerations of Substance: Do not discharge into waterways or sewage systems. Transport with all closures in place. Return for reuse or dispose of according to national, local, and state regulations

SECTION 14: TRANSPORT INFORMATION

DOT INFORMATION FOR QUANTITIES GREATER THAN 145.2 LITERS PER PACKAGE: UN 3266, Corrosive liquid, basic, inorganic, n.o.s., 8, PGIII, (Trisodium Phosphate)

DOT INFORMATION FOR QUANTITIES LESS THAN 1.3 LITERS PER BOTTLE: Limited Quantity

Marine Pollutant No

SECTION 15: REGULATORY INFORMATION

COMPONENT	(CAS/PERC)		CODES
Trisodium Phosphate Dodecahydrate	10101-89-0	1-3%	
Butyl cellulose	111-76-2	1-5%	HAP, MASS, OSHAWAC, PA, TSCA, TXAIR

REGULATORY CODE DESCRIPTIONS

HAP = Hazardous Air Pollutants

MASS = MA Massachusetts Hazardous Substances List

OSHA = OSHA Workplace Air Contaminants

PA = PA Right-To-Know List of Hazardous Substances

TSCA = Toxic Substances Control Act

TXAIR = TX Air Contaminants with Health Effects Screening Level

SECTION 16: OTHER INFORMATION

Hazardous Materials Identification System (HMIS)

HMIS-RATING:	
HEALTH	1
FLAMMABILITY	0
PHYSICAL HAZARD	0

Important Note: *To be the best of our knowledge, the information contained herein is accurate. However there is no assumption of liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer/supplier, the manufacturer/supplier will not be responsible for loss, injury, or expense arising out of the products improper use. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.*

End of SDS