

# SAFETY DATA SHEET

## SECTION 1: IDENTIFICATION

<b>COMPANY NAME:</b>	AMERICAN INDUSTRIES, INC.	<b>PRODUCT NAME:</b>	<b>PRONTO (A)</b>
<b>ADDRESS LINE 1:</b>	4300 Kahn Drive, Box 1405	<b>PRODUCT CODE:</b>	1649
<b>ADDRESS LINE 2:</b>	Lumberton, NC 28359-1405 USA	<b>PRODUCT USE:</b>	Heavy Duty Chain and Cable Lubricant
<b>TELEPHONE NUMBERS:</b>	800-753-5153 (or) 910-738-7224	<b>SDS FILE ID:</b>	1649.05
<b>EMERGENCY PHONE:</b>	<b>CHEMTREC 1-800-424-9300</b>	<b>SDS DATE:</b>	2017-08-01
		<b>REPLACES VERSION DATED:</b>	2016-01-26 and all prior versions

## SECTION 2: HAZARDS IDENTIFICATION

Classification:	Flammable aerosol	Category 1
	Gas under pressure	Liquefied gas
	Skin Corrosion/Irritation	Category 3
	Eye Damage/Irritation	Category 2B

Label elements



Signal word:	Danger
Hazard statement:	Extremely flammable aerosol. Contains gas under pressure; May explode if heated. Causes mild skin irritation. Causes eye irritation.
Precautionary statement:	Keep away from heat/sparks/open flames/hot surface - No smoking. Do not spray on an open flame or other ignition source. Pressurized container - Do not pierce or burn, even after use. Wash hands thoroughly after handling. IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do-continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Protect from sunlight. Store in a well ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical name</u>	<u>CAS number</u>	<u>%</u>
Petroleum Oil	64742-52-5	70-80
Petroleum Distillate	64742-47-8	10-15
Propane	74-98-6	10-15
Silicon dioxide, Crystalline-Free	112945-52-5	1-2

## SECTION 4: FIRST AID MEASURES

Inhalation:	Remove to fresh air. Administer oxygen if needed. Apply artificial respiration if breathing has stopped. Get medical attention.
Eyes:	Wash immediately with large volumes of fresh water for at least 15 minutes. Get medical attention.
Skin:	Wipe off with a towel. Wash with soap and water. Get medical attention if irritation persists.
Ingestion:	Nor a likely route of exposure.

Most important symptoms/effects, acute and delayed	Repeated exposure may cause skin dryness or cracking. May cause drowsiness or dizziness.
Indication of immediate medical attention and special treatment needed	None known

#### SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing media	Foam, Alcohol foam, CO2, Dry chemical, Water fog. Water spray may be ineffective.
Special firefighting procedures	Water may be used to cool containers to prevent pressure buildup and explosion when exposed to extreme heat. Wear goggles and use self-contained breathing apparatus. If water is used, fog nozzles are preferred.
Specific hazards	Closed containers may explode from internal pressure build-up when exposed to extreme heat and discharge contents. Liquid content of container will support combustion. Overexposure to decomposition products may cause a health hazard. Symptoms may not be readily apparent. Obtain medical attention. Hazardous decomposition products include carbon dioxide, carbon monoxide, and other toxic fumes.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions	Avoid breathing vapor. Ventilate area. Remove all sources of ignition.
Methods and materials for containment and cleaning up	Clean up with absorbent material and place in closed containers for disposal.

#### SECTION 7: HANDLING AND STORAGE

Precautions for safe handling	Do not puncture or incinerate (burn) cans. Do not stick pins, nails, or any other sharp objects into opening on top of can. Do not spray in eyes. Do not take internally. See product label for additional information.
Storage room requirements	Store and use in cool, dry, well-ventilated areas. Do not store above 120 F.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye protection	None under normal use. However, use of safety glasses with splash guards or full face shield should be used if indicated.
Protective gloves	None under normal use. Use solvent-resistant for prolonged or repeated contact.
Respiratory protection	None under normal use. Avoid breathing vapors. In restricted areas, use approved chemical/mechanical filters designed to remove a combination of particles and vapor. In confined areas, use an approved airline respirator or hood. Self-contained breathing apparatus is required for vapor concentrations above PEL/TLV limits.
Appropriate Engineering Controls	Ventilation should be sufficient to prevent inhalation of any vapors. General dilution and/or local exhaust ventilation in volume to keep PEL/TLV of most hazardous ingredient below acceptable limit and lel below stated limit.
Other Protective Clothing or Equipment	None under normal use. However, use of solvent-resistant aprons or other clothing is recommended. Eye washes and safety showers in the workplace are recommended.

Component/CAS No	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Petroleum Oil 64742-52-5	PEL: Mist 5 mg/m <sup>3</sup> , 8 hrs	TLV: Mist 5 mg/m <sup>3</sup> , 8 hrs	
Petroleum Distillate 64742-47-8	Not established	Not established	
Propane 74-98-6	Not established	TWA: 1000 ppm	

Silicon dioxide, Crystalline-Free 112945-52-5      Not established      Not established

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Aerosol product
Odor	Solvent
Odor threshold	Not determined
Vapor Pressure	Not determined
Vapor Density	Heavier than air
Density	Not determined
Freezing point	Not determined
Boiling point	Not determined
Evaporation rate	Slower than ether
Explosive Limits	Not applicable
Autoignition temperature	Not determined
Viscosity	Not determined
pH	Not applicable
Melting Point	Not determined
Solubility	Not determined
Flash point	Not determined
Flammability	Level 3 Aerosol
Partition coefficient (n-octanol/water)	Not determined
Decomposition temperature	Not determined

#### SECTION 10: STABILITY AND REACTIVITY

Stability	Stable under normal storage and handling conditions.
Reactivity	Not reactive under normal conditions of use.
Possibility of Hazardous Reactions	None known.
Incompatible Materials	None known.
Hazardous Decomposition Products	Carbon dioxide, carbon monoxide, and other toxic fumes.

#### SECTION 11: TOXICOLOGICAL INFORMATION

Long term toxicological studies have not been conducted for this product.

#### SECTION 12: ECOLOGICAL INFORMATION

Long term ecological studies have not been conducted for this product.

#### SECTION 13: DISPOSAL CONSIDERATIONS

Waste disposal	Dispose of in accordance with local, state, and federal regulations. Before attempting clean up, refer to other sections of this document for hazard cautionary information.
----------------	--

#### SECTION 14: TRANSPORT INFORMATION

US DOT Info	DOT Proper Shipping Name: None required per 49 CFR 173.306(i) for products that conform to the Limited Quantity provisions. Commodity shipping description: Lubricant, NOI
-------------	--

This product meets the exception requirements of section 173.306 as a limited quantity and may be shipped as a limited quantity. Until 12/31/2020, the "Consumer Commodity - ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/20 and may be used now in place of the "Consumer Commodity ORM-D" marking and both may be displayed concurrently.

#### SECTION 15: REGULATORY INFORMATION

All ingredients are either listed on the TSCA inventory or are exempt.

## SECTION 16: OTHER INFORMATION

**Important Note:** *To be the best of our knowledge, the information contained herein is accurate. However there is no assumption of liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer/supplier, the manufacturer/supplier will not be responsible for loss, injury, or expense arising out of the products improper use. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.*

\*\*\*End of SDS\*\*\*