

# SAFETY DATA SHEET



## SECTION 1: IDENTIFICATION

<b>COMPANY NAME:</b>	AMERICAN INDUSTRIES, INC.	<b>PRODUCT NAME:</b>	<b>STERN-X</b>
<b>ADDRESS LINE 1:</b>	4300 Kahn Drive, Box 1405	<b>PRODUCT CODE:</b>	1202
<b>ADDRESS LINE 2:</b>	Lumberton, NC 28359-1405 USA	<b>PRODUCT USE:</b>	Non-selective Residual Herbicide
<b>TELEPHONE NUMBERS:</b>	800-753-5153 (or) 910-738-7224	<b>SDS FILE ID:</b>	1202.08
<b>EMERGENCY PHONE:</b>	<b>CHEMTREC 1-800-424-9300</b>	<b>SDS DATE:</b>	2015-06-01
		<b>REPLACES VERSION DATED:</b>	2011-02-23 <i>and all prior versions</i>

## SECTION 2: HAZARDS IDENTIFICATION

Classification:	Flammable Liquid	Category 4 H227
	Skin Irritant	Category 2 H315
	Eye Irritant	Category 2A H319
	Carcinogen	Category 1B H350
	Specific Target Organ Toxicity	Category 2 H373
	Aspiration Hazard	Category 1 H304

Label elements



Signal word                      Danger

Hazard statement:              Combustible liquid. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause cancer. May cause damage to organs through prolonged or repeated exposure.

Precautionary statement      Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks, open flames, and hot surfaces. No smoking. Do not breathe vapors, mist, fume. Wash hands thoroughly after handling. If swallowed: Immediately call a POISON CENTER, a doctor. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Get medical advice/attention if you feel unwell. Specific treatment (see First aid measures on this label). Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. In case of fire: use water, dry extinguishing powder, carbon dioxide (CO<sub>2</sub>), alcohol resistant foam to extinguish. Store in a well ventilated place. Keep cool. Store locked. Dispose of contents/container to comply with local/regional/national regulations.

Other hazards                      No additional information available.

Unknown acute toxicity        Not applicable

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance                              Not applicable

Full text of H-phrases: see section 16

### Mixture

<u>Chemical name</u>	<u>CAS number</u>	<u>%</u>	<u>GHS Classification</u>
Fuel oil, No 4, Gaspo;-unspecified, [A distillate oil having minimum viscosity of 45 SUS at 37,7°C (100°F).]	68476-31-3	60-80	Asp. Tox. 1, H304
Glycol Ether EB	111-76-2	10-30	Flam. Liq. 4,H227 Acute Tox. 4 (Oral). H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319

2-ethylhexyl 2,4-dichlorophenoxyacetate	1928-43-4	0.5-1.5	STOT RE 2, H373 Asp. Tox 1, H304 Acute Tox. 4 (Oral), H302
Naphthalene	91-20-3	0-0.3	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Car. 1B, H350 Aquatic Acute 1, H400

#### SECTION 4: FIRST AID MEASURES

General	If you feel unwell, seek medical advice (show the label where possible). If exposed or concerned: Get medical advice/attention.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
Ingestion	If swallowed: Do NOT induce vomiting. Immediately call a poison center or doctor/physician..
Symptoms/injuries	If you feel unwell, seek medical advice. May cause damage to organs through prolonged or repeated. May cause cancer.
Symptoms/injuries after inhalation	Harmful if inhaled. EXPOSURE TO HIGH CONCENTRATIONS: Central nervous system depression. Irritation of the respiratory tract. Headache. May cause drowsiness or dizziness.
Symptoms/injuries after skin contact	Causes skin irritation.
Symptoms/injuries after eye contact	Causes serious eye irritation.
Symptoms/injuries after ingestion	May be fatal if swallowed and enters airways.
Special treatment needed	No additional information available.

#### SECTION 5: FIRE-FIGHTING MEASURES

Suitable extinguishing media	Dry chemical powder, Carbon dioxide, alcohol resistant foam.
Unsuitable extinguishing media	Do not use a heavy water stream.
Fire hazard	Combustible liquid
Explosion hazard	Explosion risk in case of fire. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. May be ignited by sparks. May form flammable/explosive vapor air mixture.
Reactivity	On burning: release of toxic and corrosive gases/vapors (nitrous vapors, sulphur, oxides, carbon monoxide-carbon dioxide). If the product is involved in a fire, it can release toxic chlorine gases. Reacts violently with (strong) oxidizers.
Firefighting instructions	Exercise caution when fighting any chemical fire. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

General measures	Remove ignition sources. Use special care to avoid static electric charges.
------------------	---

Protective equipment for non-emergency personnel	Protective goggles. Gloves. Protective clothing.
Emergency procedures for non-emergency personnel	Evacuate unnecessary personnel. No naked flames or sparks.
Protective equipment for emergency responders	Equip cleanup crew with proper protection.
Emergency procedures for emergency responders	Stop leak if safe to do so. Stop release. Ventilate area.
Environmental precautions	Avoid release to the environment. Prevent entry to sewers and public waters.
Methods for containment	Contain released substance, pump into suitable containers.
Methods for cleaning up	This material and its container must be disposed of in a safe way, and as per local legislation. Take up liquid spill into inert absorbent material, e.g.: sand/earth. Clean contaminated surfaces with a soap solution.

### SECTION 7: HANDLING AND STORAGE

Additional hazards when processed	Handle empty containers with care because residual vapors are flammable. In use, may form flammable vapor-air mixture. Keep away from open flame, sparks, excessive heat.-No smoking.
Precautions for safe handling	Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Do not breathe vapors. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care. Keep away from sources of ignition-No smoking. Take precautions against electrostatic charges. Obtain special instructions before use. Remove contaminated clothing immediately.
Hygiene measures	Wash thoroughly after handling. Wash contaminated clothing before reuse.
Technical measures	Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	Keep container tightly closed. Keep only in the original container in a cool, well ventilated place away from: sparks, open flames, excessive heat.
Incompatible products	Oxidizing agent.
Incompatible materials	Sources of ignition.
Heat –ignition	KEEP SUBSTANCE AWAY FROM: Ignition sources. Heat sources.
Prohibitions on mixed storage	KEEP SUBSTANCE AWAY FROM: oxidizing agents.
Storage area	Store away from heat. Store in a cool area. Store in a dry area. Store in a well-ventilated place. Keep locked up.
Special rules on packaging	Keep only in original container. Meet the legal requirements.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>Component</u>	<u>ACGIH TWA (ppm)</u>	<u>ACGIH STEL (ppm)</u>
Naphthalene (91-20-3)	10 ppm	10 ppm
Personal protective equipment	Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Protective clothing. Protective goggles. Safety glasses.	

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear, red colored liquid
Odor	Fuel oil odor
Odor threshold	No data available
pH	No data available
Melting point	No data available
Boiling point	No data available
Freezing Point	No data available

Flash point	145°F (63°C)
Relative evaporation rate (butyl acetate=1)	No data available
Flammability (solid, gas)	No data available
Explosion limits	No data available
Explosive properties	Heating may cause a fire or explosion.
Oxidizing properties	No data available
Vapor pressure	No data available
Relative density	No data available
Relative vapor density at 20°C (68°F)	No data available
Specific gravity/density	0.875 g/ml
Solubility in Water	Insoluble in water
Log Pow	No data available
Log Kow	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available
Viscosity, kinematic	<20 cSt
Viscosity, dynamic	No data available
VOC content	>90 %

#### SECTION 10: STABILITY AND REACTIVITY

Reactivity	On burning: release of toxic and corrosive gases/vapors (nitrous vapors, sulphur oxides, carbon monoxide-carbon dioxide). If the product is involved in a fire, it can release toxic chlorine gases. Reacts violently with (strong) oxidizers.
Chemical stability	Combustible liquid. Stable under normal conditions. Risk of explosion if heated under confinement. Heating may cause a fire or explosion.
Conditions to avoid	Refer to section 10 on Incompatible materials. Open flame. Overheating. Sparks.
Incompatibility	Oxidizing agents.
Hazardous decomposition products	Thermal decomposition produces: CO, CO <sub>2</sub> , Oxides of nitrogen and other potentially toxic fumes.
Possible hazardous reactions	Refer to section 10 on Reactivity.

#### SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity	Not classified.	
Naphthalene (91-20-3)	LD50 oral rat	>1100 mg/kg (Rat)
	LD50 dermal rat	>2500 mg/kg (Rat)
	LD50 dermal rabbit	>20000 mg/kg (Rabbit)
	ATE CLP (oral)	500.000 mg/kg body weight
Glycol Ether EB (111-76-2)	LD50 oral rat	1300 mg/kg
	LD50 dermal rat	>2000 mg/kg
	ATE CLP (oral)	1300.000 mg/kg body weight
	ATE CLP (dermal)	1100.000 mg/kg body weight
	ATE CLP (dust, mist)	1.500 mg/l/4h
2-ethylhexyl, 2,4-dichlorophenoxyacetate (1928-43-4)	LD50 oral rat	896 mg/kg (Rat)
	LD50 dermal rabbit	>2000 mg/kg (Rabbit)
	LC50 inhalation (rat (mg/l))	>5.4 mg/l/4h (Rat)
Skin corrosion/irritation	Causes skin irritation.	

Serious eye damage/irritation	Causes serious eye irritation.	
Respiratory or skin sensitization	Not classified.	
Germ cell mutagenicity	Not classified.	
Carcinogenicity	May cause cancer.	
Naphthalene (91-20-3)	IARC group	2B-Possibly Carcinogenic to Humans
	NTP Status	3-Reasonably anticipated to be Human Carcinogen
Glycol Ether EB (111-76-2)	IARC group	3-Not classifiable
Reproductive toxicity	Not classified	
Specific target organ toxicity (single exposure)	Not classified	
Specific target organ toxicity (repeated exposure)	May cause damage to organs through prolonged or repeated exposure	
Glycol Ether EB (111-76-2)	LOAEL (oral, rat, 90 days)	60 mg/kg bodyweight/day Target organ: liver
	NOAEL (dermal, rat/rabbit, 90 days)	150 mg/kg bodyweight/day
Aspiration hazard	May be fatal if swallowed and enters airways.	
Symptoms/injuries after inhalation	Harmful if inhaled. EXPOSURE TO HIGH CONCENTRATIONS: Central nervous system depression. Irritation of the respiratory tract. Headache. May cause drowsiness or dizziness.	
Symptoms/injuries after skin contact	Causes skin irritation.	
Symptoms/injuries after eye contact	Causes serious eye irritation.	
Symptoms/Injuries after ingestion	May be fatal if swallowed and enters airways.	
Likely routes of exposure	Skin and eyes contact; ingestion; inhalation.	

## SECTION 12: ECOLOGICAL INFORMATION

### Toxicity

Naphthalene (91-20-3)	LC50 fish 1	1.99 mg/l (96 h; <i>Pemephales promelas</i> )
	EC50 Daphnia 1	2.16 mg/l (48 h; <i>Daphnia magna</i> )
	EC50 other aquatic organisms 1	2.96 mg/l (4 h; <i>Selenastrum capricornutum</i> )
	LC50 fish 2	0.11 mg/l (96 h; <i>Oncorhynchus mykiss</i> )
	TLM fish 1	150 mg/l (96 h; <i>Lepomis macrochirus</i> ; Cool water)
	TLM fish 2	1.24 ppm (96 h; <i>Oncorhynchus gorboscha</i> )
	Threshold limit algae 1	0.4 mg/l (72h; <i>Skeletonema costatum</i> ; Growth rate)
Glycol Ether EB (111-76-2)	LC50 fish 1	1474 mg/l <i>Oncorhynchus mykiss</i>
	EC50 Daphnia 1	100 mg/l Water flea
	ErC50 (algae)	1840 mg/l <i>Pseudokirchneriella subcapitata</i>
	NOEC chronic fish	>100 mg/l
	NOEC chronic crustacea	100 mg/l daphnid
2-ethylhexyl 2,4-dichlorophenoxyacetate (1928-43-4)	LC50 fish 1	7.2 mg/l 96 h: <i>Salmo gairdneri</i> ( <i>Oncorhynchus mykiss</i> )
	EC50 Daphnia 1	5.2 mg/l (48 h; <i>Daphnia magna</i> ; Pure water)
	EC50 other aquatic organisms 1	>30 mg/l (120 h; <i>Selenastrum capricornutum</i> ; Growth rate)
	EC50 Daphnia 2	1.35 mg/l (504h)
	Threshold limit algae 1	15 mg/l (120h; <i>Selenastrum capricornutum</i> ; Growth rate)
Threshold limit algae 2	0.1875 mg/l (120 h; <i>Skeletonema costatum</i> ; Cell numbers)	

## Persistence and degradability

Naphthalene (91-20-3)	Persistence and degradability	Readily biodegradable in water. Foaming sediments in water. Biodegradable in the soil. Absorbs into the soil. Photolysis in the air.
	Biochemical oxygen demand (BOD)	0 g O <sub>2</sub> /g substance
	Chemical oxygen demand (COD)	0.22 g O <sub>2</sub> /g substance
	ThOD	2.99 g O <sub>2</sub> /g substance
Bioaccumulative potential		
Naphthalene (91-20-3)	BCF fish 1	23 – 168 (8 weeks; Cyprinus carpio)
	BCF fish 2	40 – 300 (672 h; Oncorhynchus mykiss)
	BCF other aquatic organisms 1	331 (360 h; Ostreidae)
	BCF other aquatic organisms 2	130 (24 h; Chlorella sp.)
	LOG POW	3.30 (Experimental value)
	Bioaccumulative potential	Low potential for bioaccumulation (BCF <500).
2-ethylhexyl 2,4-dichlorophenoxyacetate (1928-43-4)	Log Pow	5.78 (Experimental value)

## SECTION 13: DISPOSAL CONSIDERATIONS

Waste disposal	Dispose of contents/container to comply with local/regional/national regulations.
Additional information	Clean up even minor leaks or spills if possible without unnecessary risk. Handle empty containers with care because residual vapors are flammable.

## SECTION 14: TRANSPORT INFORMATION

DOT-55 Gal Drum	Liquid Weedkiller 155050 Pesticides, NOI, Including Herbicides or Insecticides Sub 6
DOT-5 Gal Pail	Herbicides
Other information	When transported by ground in non-bulk containers, this product utilizes the exception found under 49 CFR 173.150
ADR	No additional information available.
Transport by sea	No additional information available
Air transport	No additional information available.

## SECTION 15: REGULATORY INFORMATION

TSCA Status: All chemicals are listed or exempt.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Bromacil	CAS No 314-40-9	0.1 – 1
Naphthalene	CAS No 91-20-3	0 – 0.3
2-ethylhexyl 2,4-dichlorophenoxyacetate	CAS No 1928-43-4	0.5 – 1.5
Glycol Ether EB	CAS No 111-76-2	10 - 30
Naphthalene (91-20-3)	Listed on SARA Section 313 (Specific toxic chemical listings)	RQ (Reportable quantity, section 304 of EPA's List of Lists) 100 lb
2-ethylhexyl 2,4-dichlorophenoxyacetate (1928-43-4)	Listed on SARA Section 313 (Specific toxic chemical listings)	

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Harmful if swallowed. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing.

EPA REG NO: 01088-00002-38090

CALIFORNIA PROPOSITION 65-This product contains, or may contain, trace quantities of a substance(s) known to the State of California to cause cancer and/or reproductive toxicity.

#### **SECTION 16: OTHER INFORMATION**

Training advice: Normal use of this product shall imply use in accordance with the instructions on the packaging.

**Important Note:** *To be the best of our knowledge, the information contained herein is accurate. However there is no assumption of liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer/supplier, the manufacturer/supplier will not be responsible for loss, injury, or expense arising out of the products improper use. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.*

\*\*\*End of SDS\*\*\*