# SAFFTY DATA SHFFT



Industrial Strength Hard Surface

## **SECTION 1: IDENTIFICATION**

COMPANY NAME: AMERICAN INDUSTRIES, INC. PRODUCT NAME: 4-WAY (A)
ADDRESS LINE 1: 4300 Kahn Drive, Box 1405 PRODUCT CODE: 2301

ADDRESS LINE 2: Lumberton, NC 28359-1405 USA

**TELEPHONE NUMBERS:** 800-753-5153 (or) 910-738-7224 **EMERGENCY PHONE: CHEMTREC 1-800-424-9300** 

**SDS FILE ID:** 2301.10 **SDS DATE:** 2019-01-11

PRODUCT USE:

**REPLACES VERSION DATED:** 2015-12-17 and all prior versions

Cleaner

## **SECTION 2: HAZARDS IDENTIFICATION**

Classification: Liquefied Gas

Label elements



Signal word Warning

Hazard statement: Contains gas under pressure; May explode if heated.

This product contains the following percentage of chemicals of unknown toxicity: 0%

Precautionary statement Keep away from heat, sparks, open flames, and hot surfaces. No smoking. Pressurized container: Do

not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding

122°F (50°C). Store in a well-ventilated place.

Hazard(s) not otherwise

classified (HNOC)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

<u>Chemical name</u>	<u>CAS number</u>	<u>%</u>
2-Butoxyethanol	111-76-2	1-5
Ethyl Alcohol	64-17-5	1-5
Propane/n-Butane	68476-86-8	3-7

N/A

## **SECTION 4: FIRST AID MEASURES**

Inhalation Move to fresh air. If breathing is difficult, administer oxygen. If not breathing administer artificial

respiration or at any sign of loss of consciousness seek immediate medical attention.

Skin contact Immediately wash with soap and water. Seek medical attention if irritation develops.

Eye contact Immediately flush with water for 15 - 20 minutes while holding eyelids open. Seek medical

attention if irritation persists.

Ingestion Do not induce vomiting unless directed by medical authority. Immediately rinse mouth with water.

Seek medical attention if irritation persists.

Acute health hazards None Known
Chronic health hazards None known

Note to physician There is no specific treatment regimen. Treatment of overexposure should be directed at the

control of symptoms and the clinical condition of the patient.

# **SECTION 5: FIRE-FIGHTING MEASURES**

Suitable extinguishing media Dry chemical, carbon dioxide, alcohol foam, and water spray or fog.

Unsuitable extinguishing media N/A

Special firefighting procedures Wear NIOSH approved Self Contained Breathing Apparatus with a full face piece operated in a

positive pressure demand mode with full body protective clothing when fighting fires. Use water

spray only to cool exposed containers.

Unusual fire and explosion

Contents under pressure. Exposure to temperatures above 122°F (50°C) may cause bursting.

hazards

Hazardous combustion products Oxides of carbon.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal protective equipment Refer to section VIII for proper Personal Protective Equipment.

Use non-combustible material like vermiculite, sand or earth on spill sweep to clean. Dispose in Spill

accordance with local, state and federal laws. Small releases may be wiped up with wiping material.

Waste disposal Dispose of in accordance with federal, state, and local regulations.

Not listed as hazardous waste under RCRA, however product should be fully characterized prior to **RCRA Status** 

disposal (40 CFR 261).

## **SECTION 7: HANDLING AND STORAGE**

Protect from sunlight. Store in a well ventilated place. Do not expose to temperatures exceeding Precautions for safe handling

50°C/122°F. Pressurized container: Do not pierce or burn, even after use.

None. Other precautions

Strong oxidizers, Alkalies, Acids. Incompatibility

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Hazardous Component OSHA PEL ACGIH TLV** 2-Butoxyethanol 50 ppm 20 ppm

Ethyl Alcohol 1000 ppm 1000 ppm

Propane/n-Butane 1000 ppm 1000 ppm

Appropriate engineering controls Ambient ventilation suitable, forced ventilation should not be required.

Respiratory protection Not required with normal use.

Personal protective equipment Safety glasses.

Additional Measures Follow normal hygiene practices.

Exposure guidelines N/A

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** White Foam Odor Pleasant scent

Odor threshold N/D

**Boiling** point >212°F (100°C)

Freezing Point N/D

Flammability Not considered a flammable aerosol or an extremely flammable aerosol by OSHA

(29CFR 1910.1200)

N/A

Flash point N/D Auto-ignition temperature N/A

Upper/lower flammability limits Lower: N/D Upper: N/D

Vapor Pressure (mmHg) 17.5 @ 77°F (25°C)

Vapor density (Air = 1)

**Evaporation Rate** <0.8 (Slow) Specific Gravity (H20=1) 0.99 9.6 рΗ Solids (%) N/D Solubility in Water 100% Partition Coefficient:n-Octanol/water (Kow) N/D Volatility including water (%) 100% VOC 9% Dielectric Strength (Volts) N/A

**Decomposition Temperature** 

Viscosity N/A

## SECTION 10: STABILITY AND REACTIVITY

N/A Reactivity Chemical stability Stable.

Conditions to avoid Temperatures greater than 122°F (50°C) and sources of ignition.

Incompatibility Strong oxidizers, alkalies, acids.

Hazardous decomposition products None Known. Possible hazardous reactions None known.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Toxicological information 2-Butoxyethanol (111-76-2) LD<sub>50</sub> (Oral, Rat) 470 mg/kg; Inhalation rat LC<sub>50</sub> (Inhalation,

> Rat, 4hr) 450 ppm; LD<sub>50</sub> (Dermal, Rabbit) 220 mg/kg; investigated as a tumorigen, mutagen, reproductive effector. Reproductive Toxicity: Has shown teratogenic effects in

laboratory animals.

Routes of Entry Eyes, Ingestion, Inhalation, Skin.

Ingestion Not a likely route of exposure under normal product handling conditions.

Inhalation Causes dizziness if inhaled directly or exposed to excessive amounts.

Skin contact May cause mild irritation, localized defatting.

Eve contact May cause irritation.

Medical condition aggravated None known. Acute health hazards None known. Chronic health hazards None known.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

#### **SECTION 12: ECOLOGICAL INFORMATION**

**Ecological information** Ethyl Alcohol (64-17-5) LC<sub>50</sub> (Fish, 96hr) 12,900-15,300 mg/L; LC<sub>50</sub> (Bacteria, 24hr) 11,200

mg/L; EC<sub>50</sub> (Bacteria, 5-30 min) 34,900 mg/L 2-Butoxyethanol (111-76-2) Toxic to aquatic

life only in high concentrations, lethal concentrations not available.

Biodegradability This product is biodegradable.

Bioaccumulation This product is not expected to bioaccumulate.

Mobility in soil This product is mobile in soil.

Other ecological hazards None known.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Dispose of in accordance with federal, state, and local regulations. Waste disposal

Not listed as hazardous waste under RCRA, however product should be fully characterized **RCRA Status** 

prior to disposal (40 CFR 261).

## **SECTION 14: TRANSPORT INFORMATION**

DOT UN1920, Aerosols, Limited Quantity

## **SECTION 15: REGULATORY INFORMATION**

TSCA Status: All chemicals are listed or exempt.

CERCLA (Comprehensive response compensation, and liability act): None.

SARA 311/312 Hazardous categories: None.

SARA 313 reportable ingredients: 2-Butoxyethanol (111-76-2) 1.5 - 2.5%

Clean water act: None.

US state regulations: California Proposition 65: None.

International inventories-**2-Butoxyethanol** (111-76-2) EU (EINECS), Japan (ENCS), Australia (AICS), Canada (WHMIS), DSCL (EEC), NDSL, Korea (ECL), Philippines (PICCS), New Zealand (NZIOC), China (IECS).

## **SECTION 16: OTHER INFORMATION**

**Important Note:** To be the best of our knowledge, the information contained herein is accurate. However there is no assumption of liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer/supplier, the manufacturer/supplier will not be responsible for loss, injury, or expense arising out of the products improper use. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.

\*\*\*End of SDS\*\*\*