

SAFETY DATA SHEET



SECTION 1: IDENTIFICATION

COMPANY NAME:	AMERICAN INDUSTRIES, INC.	PRODUCT NAME:	ATO-22 (16 Oz)
ADDRESS LINE 1:	4300 Kahn Drive, Box 1405	PRODUCT CODE:	1694
ADDRESS LINE 2:	Lumberton, NC 28359-1405 USA	PRODUCT USE:	Air Tool Oil H1 Food Grade
TELEPHONE NUMBERS:	800-753-5153 (or) 910-738-7224	SDS FILE ID:	1694.01
EMERGENCY PHONE:	CHEMTREC 1-800-424-9300	SDS DATE:	2016-02-22

SECTION 2: HAZARDS IDENTIFICATION

OSHA/HCS status	This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Signal word	Warning
Hazard statements	Carcinogenicity: No carcinogenic classification under GHS / CLP H316 Causes mild skin irritation H320 Causes eye irritation
Health hazard	Not expected to be a health hazard when used under normal conditions. Prolonged or repeated skin contact without proper cleaning may clog the skin pores resulting disorders like acne/folliculitis.
Safety hazard	Not classified as flammable but will burn.
Environmental hazard	Not classified as environmental hazard under GHS criteria.
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P233 Keep container tightly closed.
Prevention	Wear protective gloves while handling. Wear eye and face protection. Wash hand thoroughly after handling.
Response	If on skin, wash with plenty of soap and water. Remove contaminated cloth and wash thoroughly before use. If skin irritation occurs, get medical advice. If in eyes, wash with water for several minutes, in case of contact lenses, remove and wash with plenty water. In case of irritation, get medical attention.
Hazards not otherwise classified	None as classified under 29 CFR 1900.1200

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	% (weight)
Distillates (Petroleum, Hydrotreated Heavy Paraffinic	64742-54-7	100

As per 29 CFR 1910.1200 paragraph (i), formulation is considered as trade secret and therefore specific chemical names and their percentages of components used have not been disclosed. The details about their specific chemical names and their percentages may be provided on request to health professionals, authorized representatives of regulatory authority, employees concerned in accordance with applicable provisions of this paragraph

SECTION 4: FIRST AID MEASURES

General	Not expected to be health hazard if used under normal conditions.
Inhalation	Under normal conditions of intended use, this material is not expected to be inhalation hazard. If some symptom exists, remove to fresh air. If not breathing, give artificial respiration. Get medical attention
Skin contact	Remove contaminated clothes. Flush exposed area with plenty of water followed by washing by soap, if available. If persistent irritation occurs, obtain medical attention. If product is injected into or under the skin due to any reason, the victim, regardless of size or appearance of wound, victim should be brought immediately to medical attention for emergency surgical needs. Though the initial symptoms due to high pressure injection

	may be minimal / absent, early surgical treatment may significantly reduce the extent of injury.
Eye contact	Immediately flush with large quantities of cool water for at least 15 minutes. Get medical attention.
Ingestion	In general no treatment is necessary unless large quantities are swallowed; however, it is advisable to take medical attention. Do not induce vomiting unless directed by medical personnel. Do not give anything by mouth to an unconscious person.
Self-protection of first-aiders	When administering the first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surrounding

SECTION 5: FIRE-FIGHTING MEASURES

Suitable extinguishing media	Water Spray (fog), dry chemical, foam, or carbon dioxide, sand to extinguish flames.
Unsuitable extinguishing media	Water stream may splash burning liquid and spread fire.
Specific hazards arising from the chemical	Hazardous combustion product may include a complex mixture of airborne solid and liquid particulates and gases (smoke) , carbon monoxide , unidentified inorganic and organic compounds.
Protective equipment and precautions for firefighters	Proper protective equipment include chemical resistant gloves to be worn, chemical resistant suit is recommended when large contact with spill product is expected. Self-contained breathing apparatus (SCBA) must be worn when approaching a fire in confined area. Select the fire fighters clothing approved by relevant standard

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch and walk through spill area. Do not touch damaged container or spilled material unless wearing appropriate protective clothing/equipment. Ventilate the closed area.
Emergency procedures	Isolate the spill / leak area in all directions for about 50 meters (150 ft) for liquids and about 25 meters (75 ft.) for solids and semi-solids. Eliminate all ignition sources (no smoking, flares, sparks / flames in close vicinity). Keep unauthorized persons away and ventilate closed space before entering.
Environmental precautions	Use appropriate measures for containment of spilled material to the environment. Prevent from entering/ spreading to drain, water, river, ditches by using sand, earth, floor dryers or other appropriate barriers.
Methods and materials for containment and cleaning up	Shovel into suitable properly marked container for disposal or reclamation in accordance with local regulations.
Reference to other sections	Refer to section 8 – exposure control / personal protection and section 13- disposal considerations.

SECTION 7: HANDLING AND STORAGE

Storage	Store the product in well-ventilated area. Keep containers vertical with the lid facing upwards. Do not keep containers horizontal. This product has a natural tendency to bleed oil if not stored properly.
General Precautions	Store in well-ventilated area, if risk of vapor inhalation. Use the information in this data sheet as input for risk management arising due to local conditions which help to manage safe handling of this product.
Precautions for safe handling	Avoid prolonged and repeated contact with skin. Avoid inhaling the vapors/mist. When handling the drums, kegs, pails etc., proper safety shoes, and other protective clothes, safety glasses etc. should be worn. Dispose appropriately any contaminated rags/material as per prevailing local allowable practices. Keep containers in closely tight and, cool and well ventilated areas.
Conditions for safe storage, including any incompatibilities	Keep containers tightly closed in well-ventilated covered areas. Avoid contact with rain or other water sources. Keep the storage place cool preferably <120 °F / <50 °C. Higher temperature may create pressure buildup inside container and chances of container bursting or leakage may occur under extreme conditions. Keep away from other oxidizing and incompatible materials.
Specific End Use (s)	This material should not be used for any other purpose than the intended use as per section 1 without the expert advice

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Material	Source	Type	mg/m ³
White mineral oil	ACGIH	TWA	5.0 mg/m ³
		STEL	10.0 mg/m ³
		OSHA TWA	5.0 mg/m ³
Biological exposure index (BEI)	No biological limit allocated.		
PNEC related information	Data not available.		
Monitoring methods	Monitoring of the concentration of substances in the breathing zone of workers or in general workplace may be required to confirm the compliance with local governing authority.		
Engineering measures/controls	Adequate ventilation systems may be needed to control concentrations of airborne contaminants above permissible threshold applicable limits.		
Eye/face protection	Wear safety goggles.		
Skin/body protection	Wear safety shoes and protective gloves.		
Respiratory	In case of insufficient ventilation, use suitable respiratory equipment.		
Environmental exposure controls	Minimize release to the environment. Follow best practices for site management and disposal of waste as per local regulations		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Physical state	Liquid
Color	Colorless
Odor	Slight hydrocarbon
Odor Threshold	Not available
pH	Not applicable
Specific gravity (15°C) (59°F)	0.85 – 0.87
Flash point, COC,	177 - 256°C (351 - 493°F)
Lower and upper flammability limits	Not available
Auto-ignition temperature	324 – 454 °C (615 - 849°F)
VOC, % wt.	Nil
Vapor pressure	< 0.1 kPa (< 1 mm Hg) at 40°C (104°F)
Viscosity @ 40°C (104°F), cSt	10-100
Pour point	-10 - -15°C (14 - 59°F)

SECTION 10: STABILITY AND REACTIVITY

Reactivity	No reactivity is expected under normal conditions of intended use. However, under high temperature or adverse operating conditions thermal / chemical decomposition of the product may be possible
Chemical stability	No hazardous reaction is expected under normal conditions of temperature and pressure
Possibility of hazardous reactions	Hazardous polymerization is not expected. Reacts with strong oxidizing agents
Conditions to avoid	Extreme temperature and direct sunlight / heat /flame.
Incompatible materials	Strong oxidizing agent.
Hazardous decomposition products	Hazardous decomposition is not expected to form under normal conditions of storage.

SECTION 11: TOXICOLOGICAL INFORMATION

Basis of assessment	Information given hereby is based on the components and the toxicology of similar products and the data indicated here are representative of the product as whole rather than for individual components
Acute oral toxicity	Expected to be low toxicity ; LC/LD 50 > 5000 mg/kg
Acute dermal toxicity	Expected to be low toxicity ; LC/LD 50 > 2000 mg/kg
Acute inhalation toxicity	Unlikely to be harmful ; >5mg/L (as mist)
Skin Irritation/Corrosion	Expected to be slightly irritating. Prolonged/repeated contact with skin without

	adequate cleaning may clog the pores of the skin , may result disorder such as oil acne/folliculitis.
Serious eye damage/irritation	Expected to be slightly irritating.
Respiratory/skin sensitization	Not determined.
Aspiration	Not expected to be aspiration hazard.
Germ cell mutagenicity	Not expected a mutagenic hazard.
Carcinogenicity	Not considered to be carcinogenic as it contain severely refined which are reported to be non-carcinogenic in lab animal studies. The class of oils used in making this product are not classified as carcinogenic by IARC.

SECTION 12: ECOLOGICAL INFORMATION

Basis of assessment	Eco-toxicological data has not been determined specifically on this product. The information given herewith is based on the information given on eco-toxicity of components and/or on similar products. the information given here are representative of the product as whole and not as individual components
Toxicity	Sparingly soluble mixture in aqueous media. Not toxic to fish but may coat gill structure and cause suffocation if spilled. This product may cause gastrointestinal distress in birds and mammals through ingestion.
Persistence and degradability	The hydrocarbons in this material are not readily biodegradable, but since they can be degraded by microorganisms, they are regarded as inherently biodegradable.
Bioaccumulative potential	Log Kow values measured for the hydrocarbon components of this material are greater than 5.3, and therefore regarded as having the potential to bioaccumulate. In practice, metabolic processes may reduce bioconcentration.
Mobility in soil	Volatilization to air is not expected to be a significant fate process due to the low vapor pressure of this material. In water, base oils will float and spread over the surface at a rate dependent upon viscosity. There will be significant removal of hydrocarbons from the water by sediment adsorption. In soil and sediment, hydrocarbon components will show low mobility with adsorption to sediments being the predominant physical process. The main fate process is expected to be slow biodegradation of the hydrocarbon constituents in soil and sediment.
Other adverse effects	None anticipated.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal methods	Take expert advice of local regulatory agency for disposing this product.
Product disposal	Try to minimize the product waste by using best applicable practices. It is the responsibility of the waste generator to evaluate the waste classification and appropriate disposal methodology in accordance with the applicable regulation. Do not dispose in to environment, in drain or in river / ponds / water reservoirs.
Container disposal	To be disposed in accordance with local prevailing and allowable regulations

SECTION 14: TRANSPORT INFORMATION

US DOT	Not required.
Canadian TDG	Not required.
European	Not required.
ADR, IMDG, IATA-DGR	Not classified as hazardous product for land, sea and air transport.

SECTION 15: REGULATORY INFORMATION

OSHA Hazard Communication Standard	This material is not considered hazardous in accordance with OSHA HAzCom 2012, 29 CFR 1910.1200.
US inventory list	All components are listed or exempted. (TSCA 8b)
SARA 302/304	No products were found.
SARA 311/312	
SARA 313 Toxic Release Inventory	This material contains no chemicals subject to the supplier notification requirements of the SARA 313 Toxic Release Program
California Prop 65	No products were found

WHMIS	This product is not a controlled product.
Canadian NPRI	None of the components are listed.
CEPA toxic substance	None of the components are listed.
Europe (EINECS/ELINCS/NLP)	All components are listed or exempted from EU listing requirements.
Australia Inventory (AICS)	All components are listed or exempted.
China Inventory (IECSC)	All components are listed or exempted.
Japan Inventory	All components are listed or exempted.
Korea Inventory	All components are listed or exempted.
Malaysia Inventory (EHS Register)	Not determined.
New Zealand inventory of Chemicals (NZIoC)	All components are listed or exempted.
Philippines Inventory (PICCS)	All components are listed or exempted.

SECTION 16: OTHER INFORMATION

Hazardous Materials Identification System (HMIS)

HMIS-RATING:	
HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks.

Important Note: *To be the best of our knowledge, the information contained herein is accurate. However there is no assumption of liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer/supplier, the manufacturer/supplier will not be responsible for loss, injury, or expense arising out of the products improper use. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.*

End of SDS