SAFETY DATA SHEET



SECTION 1: IDENTIFICATION

COMPANY NAME: AMERICAN INDUSTRIES, INC. PRODUCT NAME: SUPER KLEEN

ADDRESS LINE 1: 4300 Kahn Drive, Box 1405 **PRODUCT CODE:** 2093

ADDRESS LINE 2: Lumberton, NC 28359-1405 USA PRODUCT USE: Muriatic Acid Replacement

 TELEPHONE NUMBERS:
 800-753-5153 (or) 910-738-7224
 SDS FILE ID:
 2093.12

 EMERGENCY PHONE:
 CHEMTREC 1-800-424-9300
 SDS DATE:
 2016-01-04

REPLACES VERSION DATED: 2015-06-01 and all prior versions

SECTION 2: HAZARDS IDENTIFICATION

Classification Health, Acute toxicity, Oral Category 5

Health, Skin corrosion/irritation

Category 1B

Health, Acute toxicity, Inhalation

Category 4

Health, Specific target organ toxicity – Single exposure

Category 3

Label elements



Signal word DANGER

Hazard H303 - May be harmful if swallowed

statement: H314 - Causes severe skin burns and eye damage

H332 - Harmful if inhaled

H335 - May cause respiratory irritation

Precautionary P304 - IF INHALED: Move individual to fresh air and contact a physician.

statement P305 - IF IN EYES: Flush eyes with plenty of water. If redness persists, seek medical attention.

P302+352 - IF ON SKIN: Wash with soap and water.

P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

 Chemical name
 CAS number
 %

 Phosphoric acid
 7664-38-2
 5-10

 Sulfamic acid
 5329-14-6
 < 5</td>

 Hydrochloric acid
 7647-01-0
 5-10

SECTION 4: FIRST AID MEASURES

Inhalation If symptoms develop, move victim to fresh air. If symptoms persist, obtain medical attention.

Skin contact Promptly flush skin with soap and water until all chemical is removed.

Eye contact Flush eyes with large amounts of water for at least 15 minutes, lifting eyelids occasionally to facilitate

irrigation. Contact a physician if redness persists.

Ingestion Give 1-2 glasses of water. Do not induce vomiting. Get medical advice. Do not give anything by mouth to

an unconscious or convulsing person.

SECTION 5: FIRE-FIGHTING MEASURES

Flash Point > 200°F (93.3°C)

Unsuitable extinguishing media Not applicable.
Hazardous combustion products
Special exposure hazards
None.

Special protective equipment Full protective clothing and approved self-contained breathing apparatus required for firefighting

personnel.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions Use appropriate protective equipment. (See Section 8.) Do not get into eyes, skin, or clothing.

Wear respiratory protection. Avoid breathing vapors. Ensure adequate ventilation.

Environmental precautions Do not empty into drains.

Methods and materials for containment and cleaning up Soak up residue with an absorbent such as clay or sand. Place in a non-leaking container for proper disposal according to Federal, State, and Local regulations. Do not discharge into

waterways or sewage systems.

SECTION 7: HANDLING AND STORAGE

Use in a well-ventilated area. Do not breathe vapors. Do not get on skin, eyes, or clothing. Handling precautions

Storage requirements Keep from freezing. Store between 50 and 80 degrees F. Keep container closed and in a well-

ventilated area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls Use in well ventilated area.

Personal protective equipment HMIS PP, C | Safety Glasses, Gloves, Apron

General hygiene Use good chemical hygiene practice. Avoid contact with skin, eyes, and clothing. Avoid inhalation

of vapors.

Hydrochloric acid 7647-01-0 5-10%

Components with workplace control parameters

USA ACGIH Threshold Limit Ceiling 2 ppm

Values (TLV)

Upper respiratory tract irritation Not classifiable as human carcinogen

Ceiling 5 ppm USA Occupational exposure limits (OSHA) -Table Z-1 Limits for air

> 7mg/m3 contaminants

The value in mg/m3 is approximate.

Ceiling limit is to be determined from breathing-zone air samples.

USA OSHA -Table Z-1 Limits for air contaminants-1910.1000 5 ppm Ceiling

7 mg/m3

Ceiling 5 ppm **USA NIOSH Recommended exposure limits**

7 mg/m3

Often used in aqueous solution

5329-14-6 No data available Sulfamic acid <5%

Phosphoric acid 7664-38-2 5-10%

Components with workplace control parameters

TWA 1mg/m3 USA ACGIH Threshold Limit Values (TLV)

Eye, skin, & upper respiratory tract irritation

STEL USA ACGIH Threshold Limit Values (TLV)

Eye, skin, & upper respiratory tract irritation

TWA 1 mg/m3 USA Occupational exposure limits (OSHA) -Table Z-1 Limits for air

contaminants

TWA 1 mg/m3 USA OSHA –Table Z-1 Limits for air contaminants-1910.1000

STEL USA OSHA -Table Z-1 Limits for air contaminants-1910.1000 3mg/m3

TWA 1mg/m3 **USA NIOSH Recommended exposure limits**

3mg/m3 ST **USA NIOSH Recommended exposure limits**

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical state Liquid

Color Clear green liquid Odor Mountain fresh

SDS File ID: 2093.12 Product Name: SUPER KLEEN

Odor threshold Not available

Specific gravity/density 1.10

Viscosity

Boiling point

Flammability

Partition coefficient

Vapor pressure

Not available

Not available

Not available

pH < 1.0

Evaporation rate

Decomposition temperature

Soluble in water

Melting point/freezing point

Flash point

Vapor density

Auto-Ignition Temperature

Slower than water

Not available

Soluble in water

Not available

> 200°F (93.3°C)

Not available

Not available

SECTION 10: STABILITY AND REACTIVITY

Stability Stable

Conditions to avoid Open flame and heat.

Materials to avoid Alkaline materials and strong oxidizing materials.

Hazardous decomposition Hydrochloric Acid Gas

Hazardous polymerization Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

Hydrochloric acid 7647-01-0 5-10%

Acute toxicity

Inhalation

No data available (Hydrochloric acid)

No data available (Hydrochloric acid)

No data available (Hydrochloric acid)

Skin corrosion/irritation Skin –rabbit Result: Causes burns

Serious eye damage/eye irritation Eyes-rabbit (Hydrochloric acid) Result: Corrosive to eyes

Respiratory or skin sensitization No data available (Hydrochloric acid)

Germ cell mutagenicity No data available (Hydrochloric acid)

Carcinogenicity This product is or contains a component that is not classifiable as to its carcinogenicity

based on its IARC, ACGIH, NTP, or EPA classification. (Hydrochloric acid)

IARC 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Hydrochloric acid)

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity No data available

Specific target organ toxicity Single exposure-No data available Repeated exposure-No data available

Aspiration hazard No data available

Additional Information RTECS: Not available

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Symptoms and signs of poisoning are:, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Inhalation may provoke the following symptoms:, spasm, inflammation and edema of the bronchi, spasm, inflammation and edema of the larynx, Aspiration or inhalation may cause chemical pneumonitis.

Phosphoric acid 7664-38-2 5-10%

Information on toxicological effects

Acute toxicity

No data available

Inhalation

No data available

SDS File ID: 2093.12 Product Name: SUPER KLEEN SDS Issue/Revision Date: 1/4/2016 AMERICAN INDUSTRIES, INC. Page 3 of 5

Dermal No data available
Skin corrosion/irritation No data available
Serious eye damage/eye irritation No data available
Respiratory or skin sensitization No data available
Germ cell mutagenicity No data available

Carcinogenicity

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by ACGIH.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity No data available

Specific target organ toxicity Single exposure-No data available Repeated exposure-No data available

Aspiration hazard No data available

Additional Information RTECS: Not available

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence (Phosphoric acid)

SECTION 12: ECOLOGICAL INFORMATION

Hydrochloric acid 7647-01-0 5-10%

Information o ecological effects

Toxicity to fish LC50 Gambusia affinis (Mosquito fish) 282 mg/l – 96 h (Hydrochloric acid)

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil No data available (Hydrochloric acid)

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not

conducted

Other adverse effects No data available

Sulfamic acid 5329-1-6 <5%

Information o ecological effects

Toxicity

Persistence and degradability

Bioaccumulative potential

Mobility in soil

No data available

No data available

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not

conducted

Other adverse effects An environmental hazard cannot be excluded in the event of unprofessional handling or

disposal. Harmful to aquatic life.

Phosphoric acid 7664-38-2 5-10%

Information o ecological effects

Toxicity No data available
Persistence and degradability No data available

SDS File ID: 2093.12 Product Name: SUPER KLEEN SDS Issue/Revision Date: 1/4/2016 AMERICAN INDUSTRIES, INC. Page 4 of 5

No data available Bioaccumulative potential No data available Mobility in soil

Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not

conducted

substance

Other adverse effects No data available

SECTION 13: DISPOSAL CONSIDERATIONS

Empty containers Empty Containers: If empty container retains product residue, all label precautions must be

observed. Dispose of unused product prior to disposing of empty container.

Disposal considerations of

Do not discharge into waterways or sewage systems. Transport with all closures in place. Return

for reuse or dispose of according to national, local, and state regulations.

SECTION 14: TRANSPORT INFORMATION

UN1789, Hydrochloric acid, 8,PGII

Marine Pollutant: No

SECTION 15: REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

RQ (5000LBS), Hydrochloric acid (7647-01-0 5-10%) CERCLA, CSWHS, EHS302, EPCRAWPC, HAP, MASS, NJEHS, NJHS, OSHAPSM,

OSHAWAC, PA, SARA313, TSCA, TXAIR Sulfamic acid (5329-14-6 <5%) TSCA

RQ (5000LBS), Phosphoric acid (7664-38-2 5-10%) CERCLA, CSWHS, EPCRAWPC, MASS, NJHS, OSHAWAC, SARA313, TSCA, TXAIR

REGULATORY CODE DESCRIPTIONS-

RQ=Reportable Quantity

CERCLA = Superfund cleanup substance

CSWHS = Clean Water Act Hazardous substances

EHS302 = Extremely Hazardous Substance

EPCRAWPC = EPCRA Water Priority Chemicals

HAP = Hazardous Air Pollutants

MASS = MA Massachusetts Hazardous Substances List

NJEHS = NJ Extraordinarily Hazardous Substances

OSHAPSM = OSHA Chemicals Requiring process safety management

OSHAWAC = OSHA Workplace Air Contaminants

PA = PA Right-To-Know List of Hazardous Substances

SARA313 = SARA 313 Title III Toxic Chemicals

TSCA = Toxic Substances Control Act

TXAIR = TX Air Contaminants with Health Effects Screening Level

SECTION 16: OTHER INFORMATION

Hazardous Materials Identification System (HMIS)



Important Note: To be the best of our knowledge, the information contained herein is accurate. However there is no assumption of liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Since the conditions of handling, storage and disposal of this product are beyond the control of the manufacturer/supplier, the manufacturer/supplier will not be responsible for loss, injury, or expense arising out of the products improper use. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this SDS. The user is responsible for full compliance.

End of SDS